## Worthington WEATHER

## Saturday



Statistics through 6 p.m. Yesterday

62 / 41

Sunday Sunny

53 / 36

High

58

54

0.12"

41 0.00"

79 in 1989



Low

44

32

19 in 1980

60/41

Precipitation

Normal month to date

Normal year to date

38

35

With the connection

reality, Hain's excitement

"We've been waiting

a long time for this," he

Hain lobbied hard for

the Minnesota Legislature

Clark water project, doing

to advance funding to

portion of the Lewis &

so at a time when local

lakes were shrinking and

portions of Lake Bella, the

city's wellhead, had dried

Today, the opposite is

up during a multi-year

drought.

complete the Minnesota

to LCRWS soon to be a

is building.

Yesterday

Month to date

Year to date

#### Monday Partly Cloudy

Precip Chance: 0%

2.43

1.77"

41.09

26.75"

Tuesday Partly Cloudy Precip Chance: 15%

53/32

## Wednesday

Partly Cloudy

Sunset

45 / 31

	Montevideo			Twin Cities		
62	36	55 / 42 56 / 36	52 / 4 55 / 3 tchinson 52 / 43 54 / 34 Mankate 52 / 44 55 / 35 Fairmont 56 / 43			
	54/36	53/36	59/36	52 / 43		
		A STATE OF THE REAL PROPERTY.		54/33		
Sioux Fatts 65 / 43 56 / 38	Sibley 52 / 42 55 / 35  Sioux City 66 / 43 57 / 37	- 52 / 26	Algona 60 / 44 56 / 35  Ft. Dodge 62 / 44 56 / 36	Clear Lake 59 / 44 55 / 34		
			Des Moines 65 / 48 58 / 38			
	maha	AND TO NEVERTA				
CANADA STATE OF STATE	7 / 47	MALE TO SERVE		1995		

Shown are today and tomorrow's forecasted high / low temperatur

**Regional Forecast Map** 

#### **Almanac** Temperature

Yesterday

Sioux Falls

Normal

Record

Regional Cities												
	Yesterday			Today			Tomorrow			Monday		
lowa	Hi	Lo	Prcp	Hi	Lo	W	Hi	Lo	W	Hi	Lo	W
Des Moines	56	44	0.02"	65	48	рс	58	38	s	64	47	5
Estherville	50	42	0.01"	63	43	рс	55	36	s	60	44	р
Ft. Dodge	50	40	0.02"	62	44	рс	56	36	s	62	45	po
Mason City	51	36	0.00"	60	44	mc	55	34	рс	61	44	po
Sioux City	65	45	0.05"	66	43	рс	57	37	s	65	44	5
Minnesota												
Albert Lea	50	39	0.00"	52	43	mc	54	33	рс	60	44	р
Duluth	48	45	0.12"	46	36	sh	49	35	sh	51	39	mo
Mankato	50	43	0.02"	52	44	mc	55	35	рс	64	43	р
Marshall	57	46	0.01"	63	43	sh	54	37	s	61	42	р
Minneapolis	48	44	0.03"	52	44	mc	55	38	ra	63	44	mo
Redwood Falls	51	45	0.11"	55	42	mc	56	36	s	64	42	р
Rochester	52	39	0.02"	55	42	mc	51	36	ra	55	44	р
South Dakota												
Brookings	59	45	0.00"	62	41	mc	55	35	s	59	38	р

43 pc

39 mc

Sun and Moon

Today 7:51 a.m. 6:20 p.m. 6:18 p.m. Sunday 7:52 a.m. 7:54 a.m. 6:17 p.m. Monday Moonrise Moonset 10:54 a.m. Today 8:45 p.m. 9:35 p.m. 12:01 p.m. Sunday 10:33 p.m. 1:03 p.m. Monday

Last

First 11/15

Sunrise

Full 11/23

> **NOV 27 NOV 1, 12**

**NOV 13, 16** 

NOV 6, 20

**NOV 26** 

NOV 9, 16, 30

NOV 7, 14, 21, 28

Road conditions: Iowa 800-288-1047, Minnesota & North Dakota 866-696-3511, South Dakota 866-697-3511

W: cl-cloudy, fg-fog, mc-mostly cloudy, pc-partly cloudy, ra-rain, rs-rain/snow, sh-showers, sn-snow, s-sunny, ss-snow showers, t-thunderstorm

> For latest weather updates: www.UpdatedWx.com/WDG

**Outreach Services - NOVEMBER 2018** 

WATER

From Page A1

"Our pump station,

substantially complete

Clark meter building is

substantially complete

and ready for operation."

If the water reservoir

and in service," Hain

said. "The Lewis &

isn't ready in time,

water, Hain said.

Worthington will still

be able to take a lesser

amount of Lewis & Clark

In preparation for the

change in the disinfectant it uses to treat water.

a more stable product and

"For the vast majority of customers, they aren't

The new chloramine disinfectant is considered

will last longer.

going to notice any

difference at all," Hain

from water, it creates concern for patients on dialysis and people who

have aquariums. Hain

who provide dialysis

Other communities

already accessing Lewis

& Clark water are using

chloramine, including

the city of Luverne and

portions of the Lincoln-

Pipestone Rural Water

service area, Hain said.

treatment.

said information has been

distributed to institutions

Because chloramine is more difficult to remove

new water source, Hain said Worthington Public Utilities will be making a

reception point and

blending point are

#### **ORTHOPEDICS** PEDIATRIC CARDIOLOGY

62

**ENT** 

38 pc

NEPHROLOGY ONCOLOGY ORTHODONTICS

**PODIATRY** 

ALLERGY/ASTHMA

NOV8 "Our well levels are essentially the highest they've been in 30 years," Hain said. "Yet it isn't a matter of if the next

to Lewis & Clark.' Larson said a celebration marking the completion of the water line to Worthington is planned, though a date has yet to be set.

drought will come, it's

a matter of when. We're

excited to get hooked up

"We are trying to coordinate with Gov. (Mark) Dayton's schedule to see if we can do a celebration in December," Larson said. "If he can't

make it, we would likely wait until spring to let the weather cooperate. He's been so incredibly helpful and supportive with the federal funding advances. Without those advances, we would be years away from getting water to Worthington."

While Worthington readies to celebrate, the growth of Lewis & Clark continues. On Thursday, the LCRWS awarded a contract for test and

observation wells to be constructed at the system's main wellfield at Mulberry Point, south of Vermillion, S.D. The plan is to eventually construct a collector well there that will get 16 million gallons of water a day.

"As we're adding more members like Worthington, we need to add more well capacity,'

#### **LOCALLY**

Worthington

#### **Ambulance**

**Avera** 

**Medical Group** 

507-372-2921 • 800-881-1473

AveraWorthington.org

9:45 p.m. Tuesday: 19000 block of Durfee Avenue, Adrian, adult male fell off a corn dryer. Wilmont Rescue and Adrian Ambulance dispatched.

7:09 p.m. Wednesday: 1300 block of Knollwood Drive, Worthington, adult female cut her elbow open

8:06 p.m. Wednesday: 1700 block of Rust Road, Worthington, adult female with asthma having

# NOTICE OF EXTENDED HOURS FOR

Extended hours for absentee voting for the 2018 General Election will be available at the Auditor-

**ABSENTEE VOTING** 

Treasurer's office in the Nobles County Government Center,

315 10th Street, Worthington, MN on

\*Saturday, November 3rd from 10:00am – 3:00pm \*Monday, November 5th from 8:00am - 5:00pm

The County of Nobles will test the electronic voting machines to be used for the vote tabulation in the

The voting machines are tested to ascertain that the system will correctly count the votes cast for all candidates and on all questions.

Thursday, November 1st, 2018 at 10:00am in room 310 at the Nobles County Government Center,


The public is invited and encouraged to attend.

## NOTICE OF PUBLIC ACCURACY TEST

November 6th, 2018 General Election.

The test will be held on, 315 10th Street, Worthington, Minnesota.

Kristine L. Ray – Nobles County Auditor-Treasurer





Low monthy subsciber fees!

## Peace-of-mind with the Emergency Response System

- Professional 24-hour monitoring service • Emergency help has never been closer
- · Ready to assist at a moment's notice
- Two-way voice pendant summons help



22636 U.S. Hwy. 59, P.O. Box 788 Nobles Cooperative Worthington, MN 56187-0788 Phone: 1-800-776-0517 Website: noblesce.coop

This cooperative is an equal opportunity provider & employer.

# **WORTHINGTON!**





## THE REVENUE WILL BE UTILIZED TO FUND **QUALITY OF LIFE AMENITIES IN WORTHINGTON**



1/2 Cent makes sense...



& Help make Worthington Great

Paid for by the Worthington committee for half cent sales tax. 1121 Third Avenue, Worthington, MN 56187 USA